# Separation and Purification Sciences Division

Data Sheet Rev 04152022

## 3M™ MICROLON™ 5 Series Flat Sheet Membrane

Model: 5

**Product Type:** Flat Sheet Filtration Membrane

**Description:** 3M MICROLON Flat Sheet Membranes are made from a solution of Polyamide 6 (PA6). The membrane material is inherently hydrophilic. The asymmetrical structure of the 3M MICROLON Flat Sheet Membrane is designed for high particle retention while still exhibiting good water permeability. Due to the different characteristics of the membrane surfaces (air and roll side) the membrane can be used in applications based on the principle of depth filtration or cake formation filtration.

Available Make-up Configurations: Rolls

## **Performance**

Parameter	Value
Bubble point (in isopropyl alcohol, 23°C)	≥ 6.2 bar (≥ 89.9 psi)
Transmembrane flow (water, 23° C)	≥ 1.8 ml/(min cm² bar) (≥ 115.3 ml /(min ft² psi)) (≥ 0.80 ml/(min in² psi))

# **Materials of Construction**

Hydrophilic Polyamide

# **Physical Properties**

Parameter	Value
Thickness	185 ± 25 μm ( 7.3 ± 1 mil)

All data is based on internal 3M testing procedures.

#### Intended Use

3M™ MICROLON™ flat sheet membranes are made from polyamide 6. These are flat sheet microfiltration membrane products intended for use by customers, such as OEMs, in the manufacture of liquid microfiltration cartridges and liquid microfiltration systems for various applications, such as microelectronic semiconductors, in accordance with the product's use requirements and instructions.

Since there are many factors that can affect a product's use, the customer and user remain responsible for determining whether the 3M product is suitable and appropriate for the user's specific application, including user conducting an appropriate risk assessment and evaluating the 3M product in user's application for safety, regulatory compliance, performance and any other requirements.

#### **Restrictions on Use**

3M advises against the use of these 3M products in any application other than the stated intended use(s) since other applications have not been evaluated by 3M and may result in an unsafe or unintended condition.

### **Technical Information**

The technical information, guidance, and other statements contained in this document or otherwise provided by 3M are based upon records, tests, or experience that 3M believes to be reliable, but the accuracy, completeness, and representative nature of such information is not guaranteed. Such information is intended for people with knowledge and technical skills sufficient to assess and apply their own informed judgment to the information. No license under any 3M or third party intellectual property rights is granted or implied with this information.

#### **Product Selection and Use**

Many factors beyond 3M's control and uniquely within user's knowledge and control can affect the use and performance of a 3M product in a particular application. Given the variety of factors that can affect the use and performance of a 3M product, user is solely responsible for evaluating the 3M product, conducting appropriate risk assessments, and determining whether it is fit for a particular purpose and suitable for user's method of application.

### Warranty, Limited Remedy, and Disclaimer

Unless a different warranty is expressly identified on the applicable 3M product literature or packaging (in which case such express warranty governs), 3M warrants that each 3M product meets the applicable 3M product specification at the time 3M ships the product. 3M MAKES NO OTHER WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR ARISING OUT OF A COURSE OF DEALING, CUSTOM, OR USAGE OF TRADE. If a 3M product does not conform to this warranty, then the sole and exclusive remedy is, at 3M's option, replacement of the 3M product or refund of the purchase price.

### **Limitation of Liability**

Except for the limited remedy stated above, and except to the extent prohibited by law, 3M will not be liable for any loss or damage arising from or related to the 3M product, whether direct, indirect, special, incidental, or consequential (including, but not limited to, lost profits or business opportunity), regardless of the legal or equitable theory asserted, including, but not limited to, warranty, contract, negligence, or strict liability.



3M Company
3M Separation and Purification Sciences
Division
13840 South Lakes Drive
Charlotte, North Carolina 28273 USA
Phone: +1 980 859 5400
3M.com/membrana

3M Deutschland GmbH 3M Separation and Purification Sciences Division Öhder Straße 28

42289 Wuppertal, Germany

+49 202 6099-0

Phone

© 3M 2022. All rights reserved. 3M and MICROLON are trademarks of 3M Company. Please recycle.